




TP LINEAR PENDANT

Laser sharp folds cut a superb linear profile.



TP LINEAR PENDANT






TP LINEAR 1000 PENDANT

SPECIFICATIONS

L1000mm x W100mm x H150mm
Plug-and-play Coolon LED strip, diffused
3000k, 16.3w, 1000lm p/m, 50,000 hours (I70).
Remote power supply unit
Mounting: 1 x canopy (rosette) fixes to ceiling with supplied bracket. (Ø80mm surface footprint) + 1 x ceiling bullet
Dimming (available on request): DIM Logic / DALI



CONTACT

Michael Dernaj michael@artefactindustries.com +61 3 7018 3517 (Dial 1)

LEAD TIME ESTIMATE

4-6 weeks*

*Lead times are dependent on finish and order quantity




CODE	PRODUCT DESCRIPTION
TP-055 TP-056 TP-057 TP-058	MATTE BLACK PAINTED FINISH. 2 X STAINLESS STEEL CABLE & BLACK FLEX SUSPENSION 2000MM L MATTE WHITE PAINTED FINISH. 2 X STAINLESS STEEL CABLE & BLACK FLEX SUSPENSION 2000MM L MATTE GOLD PAINTED FINISH. 2 X STAINLESS STEEL CABLE & BLACK FLEX SUSPENSION 2000MM L MATTE COPPER PAINTED FINISH. 2 X STAINLESS STEEL CABLE & BLACK FLEX SUSPENSION 2000MM L
TP-059A	DIM LOGIC CONTROL (REMOTE)
TP-059B	DALI DIM CONTROL (REMOTE)



TP LINEAR 2000 PENDANT

SPECIFICATIONS

L2000mm x W100mm x H150mm
Plug-and-play Coolon LED strip, diffused
3000k, 16.3w, 1000lm p/m, 50,000 hours (I70).
Remote power supply unit
Mounting: 1 x canopy (rosette) fixes to ceiling with supplied bracket. (Ø80mm surface footprint) + 1 x ceiling bullet
Dimming (available on request): DIM Logic / DALI



CONTACT

Michael Dernaj michael@artefactindustries.com +61 3 7018 3517 (Dial 1)

LEAD TIME ESTIMATE

4-6 weeks*

*Lead times are dependent on finish and order quantity



CODE	PRODUCT DESCRIPTION
TP-060 TP-061 TP-062 TP-063	MATTE BLACK PAINTED FINISH. 2 X STAINLESS STEEL CABLE & BLACK FLEX SUSPENSION 2000MM L MATTE WHITE PAINTED FINISH. 2 X STAINLESS STEEL CABLE & BLACK FLEX SUSPENSION 2000MM L MATTE GOLD PAINTED FINISH. 2 X STAINLESS STEEL CABLE & BLACK FLEX SUSPENSION 2000MM L MATTE COPPER PAINTED FINISH. 2 X STAINLESS STEEL CABLE & BLACK FLEX SUSPENSION 2000MM L
TP-064A	DIM LOGIC CONTROL (REMOTE)
TP-064B	DALI DIM CONTROL (REMOTE)

CARE / TP Linear looks best when dusted regularly. For fingerprints and marks use a damp, soft cloth (microfibre recommended). For anything more serious, try a damp cloth with mild detergent. Do not use solvents of any kind. Contact Artefact to discuss any repairs or part replacements.