

# QLS420 LED

131-9444

1/3

**we-ef**



## Description

IP66, Class I, IK07. Marine-grade, die-cast aluminium alloy. 5CE superior corrosion protection including PCS hardware. Silicone rubber gasket. Safety glass lenses. Two cable entries.

|                  |   |
|------------------|---|
| <b>Beam Type</b> | symmetric, medium beam up and side-throw down |
|------------------|---|

|                  |                               |
|------------------|-------------------------------|
| <b>Lamp Type</b> | LED 2x6/24W / 700 mA - 3000 K |
|------------------|-------------------------------|

|                  |    |
|------------------|----|
| <b>Gear Type</b> | EC |
|------------------|----|

## Nominal Luminous Flux (lm)

|            |        |
|------------|--------|
| LED Lumens | 246 lm |
|------------|--------|

|      |    |
|------|----|
| LEDs | 12 |
|------|----|

|              |         |
|--------------|---------|
| Total Lumens | 2952 lm |
|--------------|---------|

|    |       |
|----|-------|
| Tj | 85 °C |
|----|-------|

## Rated Luminous Flux (lm)

|            |          |
|------------|----------|
| LED Lumens | 161.2 lm |
|------------|----------|

|              |           |
|--------------|-----------|
| Total Lumens | 1934.7 lm |
|--------------|-----------|



|    |       |
|----|-------|
| Ta | 25 °C |
|----|-------|

|                          |      |
|--------------------------|------|
| <b>Rated Input Power</b> | 28 W |
|--------------------------|------|

# QLS420 LED

131-9444

2/3



# QLS420 LED

131-9444

3/3

**we-ef**

---

## Electrical Accessories

---

### Analogue dimming interface

Analogue dimming interface

|  | Weight (kg) | L1 |
|--|-------------|----|
| ■ <b>430-0011</b> 1-10V analogue dimming interface | 0.00        | 0  |



---

### DALI Interface

DALI Interface

|                                  | Weight (kg) | L1 |
|----------------------------------|-------------|----|
| ■ <b>430-0013</b> DALI interface | 0.00        | 0  |

