


ELEMENTS R TRACK



APPLICATIONS

- Residential
- Offices
- Hallways

FEATURES

- The Element Track system is a 3 phase mixed system with two additional conductors intended to manage a general data signal (for example DALI, dmx, lon, eib).
- Based on the Eurostandard Plus® platform
- Suitable for use with Global Trac® adapters
- Three circuit and DALI compatible
- An easy to create and design linear system
- Available in black, white or anodised.


TECHNICAL DATA

MOUNTING	Recessed
MATERIALS	Aluminium
DIMENSIONS	W 52mm x H 37.8mm
FREQUENCY	50-60Hz
RATED CURRENT & VOLTAGE	16A-440V 1A-50Vac FELV
IP RATING	IP20
WARRANTY	5 Years



FINISH




ELECTRICAL SCHEME




DIMENSIONAL DIAGRAMS



MOUNTING HOLE POSITIONS



LOAD SCHEME



ELEMENTS R TRACK



ACCESSORIES

* Available in Black, White or Grey











<p>END-CAP ST9004-R*</p>			<p>END-FEED ST9001* (Pol R) ST9002* (Pol L)</p>		
<p>COVER STRIP S-9000*</p>			<p>JOINTING CONNECTOR ST9003*</p>		
<p>END-FEED COVER STS9001-R*</p>			<p>INSULATING CONNECTOR ST9003-M*</p>		
<p>MIDDLE FEED COVER STS9010-R*</p>			<p>MIDDLE FEED ST9010*</p>		
<p>L FEED COVER STS9011-R*</p>			<p>L FEED ST9011* (Pol In, Earth Ex) ST9012* (Pol Ex, Earth In)</p>		
<p>T FEED COVER STS9013-R*</p>			<p>T FEED ST9013* (Pol Ex L, Earth In R) ST9014* (Pol Ex R, Earth In L) ST9015* (Pol In L, Earth Ex R) ST9016* (Pol In R, Earth Ex L)</p>		
<p>X FEED COVER STS9017-R*</p>			<p>X FEED ST9017*</p>		
<p>ADJUSTABLE FEED ST9018*</p>			<p>ADJUSTABLE FEED ST9018*</p>		

ELEMENTS R TRACK



ACCESSORIES

* Available in Black, White or Grey

<p>ROD CLAMP ST9000-P2* <i>(to be used with P3, P5 & 6)</i></p>		
<p>ROD SUSPENSION KIT ST9000-P3* <i>(1.5m, 3m or 5m)</i></p>		
<p>ROD SUSPENSION KIT WITH METAL CUP AND CROSSBAR ST9000-P5* <i>(1.2m & not in available in grey)</i></p>		
<p>ROD SUSPENSION KIT WITH METAL CUP AND CEILING BRACKET ST9000-P6* <i>(1.2m & not in available in grey)</i></p>		
<p>WIRE SUSPENSION KIT WITH METAL CUP AND CEILING BRACKET ST9000-P1* <i>(1.5m, 3m or 5m)</i></p>		
<p>WIRE SUSPENSION KIT WITH CEILING BRACKET ST9000-P4 <i>(1m)</i></p>	